Chapter 16

Certain conditions originating in the perinatal period (P00-P96)

Note: Codes from this chapter are for use on newborn records only, never on maternal records

Includes: conditions that have their origin in the fetal or perinatal period (before birth through the first 28 days after birth) even if morbidity occurs later

Excludes2: congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

endocrine, nutritional and metabolic diseases (E00-E88)

injury, poisoning and certain other consequences of external causes (S00-T88)

neoplasms (C00-D49) tetanus neonatorum (A33)

This chapter contains the following blocks:

Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery
Disorders of newborn related to length of gestation and fetal growth
Abnormal findings on neonatal screening
Birth trauma
Respiratory and cardiovascular disorders specific to the perinatal period
Infections specific to the perinatal period
Hemorrhagic and hematological disorders of newborn
Transitory endocrine and metabolic disorders specific to newborn
Digestive system disorders of newborn
Conditions involving the integument and temperature regulation of newborn
Other problems with newborn
Other disorders originating in the perinatal period

Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery (P00-P04)

Note: These codes are for use when the listed maternal conditions are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth).

P00 Newborn affected by maternal conditions that may be unrelated to present pregnancy

Code first any current condition in newborn

Excludes2: encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-) newborn affected by maternal complications of pregnancy (P01.-) newborn affected by maternal endocrine and metabolic disorders (P70-P74) newborn affected by noxious substances transmitted via placenta or breast milk (P04.-)

P00.0 Newborn affected by maternal hypertensive disorders

Newborn affected by maternal conditions classifiable to O10-O11, O13-O16

P00.1 Newborn affected by maternal renal and urinary tract diseases

Newborn affected by maternal conditions classifiable to N00-N39

P00.2 Newborn affected by maternal infectious and parasitic diseases

Newborn affected by maternal infectious disease classifiable to A00-B99, J09 and J10

Excludes1: maternal genital tract or other localized infections (P00.8)

Excludes2: infections specific to the perinatal period (P35-P39)

P00.3 Newborn affected by other maternal circulatory and respiratory diseases

Newborn affected by maternal conditions classifiable to I00-I99, J00-J99, Q20-Q34 and not included in P00.0, P00.2

P00.4 Newborn affected by maternal nutritional disorders

Newborn affected by maternal disorders classifiable to E40-E64 Maternal malnutrition NOS

P00.5 Newborn affected by maternal injury

Newborn affected by maternal conditions classifiable to O9A.2-

P00.6 Newborn affected by surgical procedure on mother

Newborn affected by amniocentesis

Excludes1: Cesarean delivery for present delivery (P03.4)

damage to placenta from amniocentesis, Cesarean delivery or surgical induction (P02.1) previous surgery to uterus or pelvic organs (P03.89)

previous surgery to dierus or pervic organis (1 05.09)

Excludes2: newborn affected by complication of (fetal) intrauterine procedure (P96.5)

P00.7 Newborn affected by other medical procedures on mother, not elsewhere classified

Newborn affected by radiation to mother

Excludes1: damage to placenta from amniocentesis, cesarean delivery or surgical induction (P02.1) newborn affected by other complications of labor and delivery (P03.-)

P00.8 Newborn affected by other maternal conditions

P00.81 Newborn affected by periodontal disease in mother

P00.89 Newborn affected by other maternal conditions

Newborn affected by conditions classifiable to T80-T88 Newborn affected by maternal genital tract or other localized infections Newborn affected by maternal systemic lupus erythematosus

P00.9 Newborn affected by unspecified maternal condition

P01 Newborn affected by maternal complications of pregnancy

Code first any current condition in newborn

Excludes2: encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-)

P01.0 Newborn affected by incompetent cervix

P01.1 Newborn affected by premature rupture of membranes

P01.2 Newborn affected by oligohydramnios

Excludes1: oligohydramnios due to premature rupture of membranes (P01.1)

P01.3 Newborn affected by polyhydramnios

Newborn affected by hydramnios

P01.4 Newborn affected by ectopic pregnancy

Newborn affected by abdominal pregnancy

P01.5 Newborn affected by multiple pregnancy

Newborn affected by triplet (pregnancy) Newborn affected by twin (pregnancy)

P01.6 Newborn affected by maternal death

P01.7 Newborn affected by malpresentation before labor

Newborn affected by breech presentation before labor Newborn affected by external version before labor Newborn affected by face presentation before labor

P01.8 Newborn affected by other maternal complications of pregnancy

P01.9 Newborn affected by maternal complication of pregnancy, unspecified

P02 Newborn affected by complications of placenta, cord and membranes

Code first any current condition in newborn

Excludes2: encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-)

P02.0 Newborn affected by placenta previa

P02.1 Newborn affected by other forms of placental separation and hemorrhage

Newborn affected by abruptio placenta

Newborn affected by accidental hemorrhage

Newborn affected by antepartum hemorrhage

Newborn affected by damage to placenta from amniocentesis, cesarean delivery or surgical induction

Newborn affected by maternal blood loss

Newborn affected by premature separation of placenta

P02.2 Newborn affected by other and unspecified morphological and functional abnormalities of placenta

P02.20 Newborn affected by unspecified morphological and functional abnormalities of placenta

P02.29 Newborn affected by other morphological and functional abnormalities of placenta

Newborn affected by placental dysfunction

Newborn affected by placental infarction

Newborn affected by placental insufficiency

P02.3 Newborn affected by placental transfusion syndromes

Newborn affected by placental and cord abnormalities resulting in twin-to-twin or other transplacental transfusion

P02.4 Newborn affected by prolapsed cord

P02.5 Newborn affected by other compression of umbilical cord

Newborn affected by umbilical cord (tightly) around neck

Newborn affected by entanglement of umbilical cord

Newborn affected by knot in umbilical cord

P02.6 Newborn affected by other and unspecified conditions of umbilical cord

P02.60 Newborn affected by unspecified conditions of umbilical cord

P02.69 Newborn affected by other conditions of umbilical cord

Newborn affected by short umbilical cord

Newborn affected by vasa previa

Excludes1: newborn affected by single umbilical artery (Q27.0)

P02.7 Newborn affected by chorioamnionitis

Newborn affected by amnionitis

Newborn affected by membranitis

Newborn affected by placentitis

P02.8 Newborn affected by other abnormalities of membranes

P02.9 Newborn affected by abnormality of membranes, unspecified

P03 Newborn affected by other complications of labor and delivery

Code first any current condition in newborn

Excludes2: encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-)

P03.0 Newborn affected by breech delivery and extraction

P03.1 Newborn affected by other malpresentation, malposition and disproportion during labor and delivery

Newborn affected by contracted pelvis

Newborn affected by conditions classifiable to O64-O66

Newborn affected by persistent occipitoposterior

Newborn affected by transverse lie

P03.2 Newborn affected by forceps delivery

P03.3 Newborn affected by delivery by vacuum extractor [ventouse]

P03.4 Newborn affected by Cesarean delivery

P03.5 Newborn affected by precipitate delivery

Newborn affected by rapid second stage

P03.6 Newborn affected by abnormal uterine contractions

Newborn affected by conditions classifiable to O62.-, except O62.3

Newborn affected by hypertonic labor

Newborn affected by uterine inertia

P03.8 Newborn affected by other specified complications of labor and delivery

P03.81 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm

Excludes1: neonatal cardiac dysrhythmia (P29.1-)

P03.810 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm before the onset of labor

P03.811 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm during labor

P03.819 Newborn affected by abnormality in fetal (intrauterine) heart rate or rhythm, unspecified as to time of onset

P03.82 Meconium passage during delivery

Excludes1: meconium aspiration (P24.00, P24.01) meconium staining (P96.83)

P03.89 Newborn affected by other specified complications of labor and delivery

Newborn affected by abnormality of maternal soft tissues

Newborn affected by conditions classifiable to O60-O75 and by procedures used in labor and delivery not included in P02.- and P03.0-P03.6

Newborn affected by induction of labor

P03.9 Newborn affected by complication of labor and delivery, unspecified

P04 Newborn affected by noxious substances transmitted via placenta or breast milk

Includes: nonteratogenic effects of substances transmitted via placenta

Excludes2: congenital malformations (Q00-Q99)

encounter for observation of newborn for suspected diseases and conditions ruled out (Z05.-) neonatal jaundice from excessive hemolysis due to drugs or toxins transmitted from mother (P58.4) newborn in contact with and (suspected) exposures hazardous to health not transmitted via placenta or breast milk (Z77.-)

P04.0 Newborn affected by maternal anesthesia and analgesia in pregnancy, labor and delivery

Newborn affected by reactions and intoxications from maternal opiates and tranquilizers administered during labor and delivery

P04.1 Newborn affected by other maternal medication

Newborn affected by cancer chemotherapy Newborn affected by cytotoxic drugs

Excludes1: dysmorphism due to warfarin (Q86.2) fetal hydantoin syndrome (Q86.1) maternal use of drugs of addiction (P04.4-)

P04.2 Newborn affected by maternal use of tobacco

Newborn affected by exposure in utero to tobacco smoke

Excludes2: newborn exposure to environmental tobacco smoke (P96.81)

P04.3 Newborn affected by maternal use of alcohol

Excludes1: fetal alcohol syndrome (Q86.0)

P04.4 Newborn affected by maternal use of drugs of addiction

P04.41 Newborn affected by maternal use of cocaine 'Crack baby'

P04.49 Newborn affected by maternal use of other drugs of addiction

Excludes2: newborn affected by maternal anesthesia and analgesia (P04.0) withdrawal symptoms from maternal use of drugs of addiction (P96.1)

P04.5 Newborn affected by maternal use of nutritional chemical substances

P04.6 Newborn affected by maternal exposure to environmental chemical substances

P04.8 Newborn affected by other maternal noxious substances

P04.9 Newborn affected by maternal noxious substance, unspecified

Disorders of newborn related to length of gestation and fetal growth (P05-P08)

P05 Disorders of newborn related to slow fetal growth and fetal malnutrition

P05.0 Newborn light for gestational age

Newborn light-for-dates

Weight below but length above 10th percentile for gestational age

P05.00 Newborn light for gestational age, unspecified weight

P05.01 Newborn light for gestational age, less than 500 grams

P05.02 Newborn light for gestational age, 500-749 grams

P05.03 Newborn light for gestational age, 750-999 grams

P05.04 Newborn light for gestational age, 1000-1249 grams

P05.05 Newborn light for gestational age, 1250-1499 grams

P05.06 Newborn light for gestational age, 1500-1749 grams

P05.07 Newborn light for gestational age, 1750-1999 grams

P05.08 Newborn light for gestational age, 2000-2499 grams

Page 5

P05.09 Newborn light for gestational age, 2500 grams and over

Newborn light for gestational age, other

P05.1 Newborn small for gestational age

Newborn small-and-light-for-dates

Newborn small-for-dates

Weight and length below 10th percentile for gestational age

- P05.10 Newborn small for gestational age, unspecified weight
- P05.11 Newborn small for gestational age, less than 500 grams
- P05.12 Newborn small for gestational age, 500-749 grams
- P05.13 Newborn small for gestational age, 750-999 grams
- P05.14 Newborn small for gestational age, 1000-1249 grams
- P05.15 Newborn small for gestational age, 1250-1499 grams
- P05.16 Newborn small for gestational age, 1500-1749 grams
- P05.17 Newborn small for gestational age, 1750-1999 grams
- P05.18 Newborn small for gestational age, 2000-2499 grams

P05.19 Newborn small for gestational age, other

Newborn small for gestational age, 2500 grams and over

P05.2 Newborn affected by fetal (intrauterine) malnutrition not light or small for gestational age

Infant, not light or small for gestational age, showing signs of fetal malnutrition, such as dry, peeling skin and loss of subcutaneous tissue

Excludes1: newborn affected by fetal malnutrition with light for gestational age (P05.0-) newborn affected by fetal malnutrition with small for gestational age (P05.1-)

P05.9 Newborn affected by slow intrauterine growth, unspecified

Newborn affected by fetal growth retardation NOS

P07 Disorders of newborn related to short gestation and low birth weight, not elsewhere classified

Note: When both birth weight and gestational age of the newborn are available, both should be coded with birth weight sequenced before gestational age

Includes: the listed conditions, without further specification, as the cause of morbidity or additional care, in newborn

P07.0 Extremely low birth weight newborn

Newborn birth weight 999 g. or less

Excludes1: low birth weight due to slow fetal growth and fetal malnutrition (P05.-)

- P07.00 Extremely low birth weight newborn, unspecified weight
- P07.01 Extremely low birth weight newborn, less than 500 grams
- P07.02 Extremely low birth weight newborn, 500-749 grams
- P07.03 Extremely low birth weight newborn, 750-999 grams

P07.1 Other low birth weight newborn

Newborn birth weight 1000-2499 g.

Excludes1: low birth weight due to slow fetal growth and fetal malnutrition (P05.-)

P07	10	Other	low hirth	weight	newhorn	unspecified	weight
FV1.	ıv	Other	IUW DII UI	WEIGHL	HEWDUIH.	ulionecilled	weiuii

- P07.14 Other low birth weight newborn, 1000-1249 grams
- P07.15 Other low birth weight newborn, 1250-1499 grams
- P07.16 Other low birth weight newborn, 1500-1749 grams
- P07.17 Other low birth weight newborn, 1750-1999 grams
- P07.18 Other low birth weight newborn, 2000-2499 grams

P07.2 Extreme immaturity of newborn

Less than 28 completed weeks (less than 196 completed days) of gestation.

P07.20 Extreme immaturity of newborn, unspecified weeks of gestation

Gestational age less than 28 completed weeks NOS

P07.21 Extreme immaturity of newborn, gestational age less than 23 completed weeks Extreme immaturity of newborn, gestational age less than 23 weeks, 0 days

P07.22 Extreme immaturity of newborn, gestational age 23 completed weeks

Extreme immaturity of newborn, gestational age 23 weeks, 0 days through 23 weeks, 6 days

P07.23 Extreme immaturity of newborn, gestational age 24 completed weeks

Extreme immaturity of newborn, gestational age 24 weeks, 0 days through 24 weeks, 6 days

P07.24 Extreme immaturity of newborn, gestational age 25 completed weeks

Extreme immaturity of newborn, gestational age 25 weeks, 0 days through 25 weeks, 6 days

P07.25 Extreme immaturity of newborn, gestational age 26 completed weeks

Extreme immaturity of newborn, gestational age 26 weeks, 0 days through 26 weeks, 6 days

P07.26 Extreme immaturity of newborn, gestational age 27 completed weeks

Extreme immaturity of newborn, gestational age 27 weeks, 0 days through 27 weeks, 6 days

P07.3 Preterm [premature] newborn [other]

28 completed weeks or more but less than 37 completed weeks (196 completed days but less than 259 completed days) of gestation.

Prematurity NOS

P07.30 Preterm newborn, unspecified weeks of gestation

P07.31 Preterm newborn, gestational age 28 completed weeks

Preterm newborn, gestational age 28 weeks, 0 days through 28 weeks, 6 days

P07.32 Preterm newborn, gestational age 29 completed weeks

Preterm newborn, gestational age 29 weeks, 0 days through 29 weeks, 6 days

P07.33 Preterm newborn, gestational age 30 completed weeks

Preterm newborn, gestational age 30 weeks, 0 days through 30 weeks, 6 days

P07.34 Preterm newborn, gestational age 31 completed weeks

Preterm newborn, gestational age 31 weeks, 0 days through 31 weeks, 6 days

P07.35 Preterm newborn, gestational age 32 completed weeks

Preterm newborn, gestational age 32 weeks, 0 days through 32 weeks, 6 days

P07.36 Preterm newborn, gestational age 33 completed weeks

Preterm newborn, gestational age 33 weeks, 0 days through 33 weeks, 6 days

P07.37 Preterm newborn, gestational age 34 completed weeks

Preterm newborn, gestational age 34 weeks, 0 days through 34 weeks, 6 days

P07.38 Preterm newborn, gestational age 35 completed weeks

Preterm newborn, gestational age 35 weeks, 0 days through 35 weeks, 6 days

P07.39 Preterm newborn, gestational age 36 completed weeks

Preterm newborn, gestational age 36 weeks, 0 days through 36 weeks, 6 days

P08 Disorders of newborn related to long gestation and high birth weight

Note: When both birth weight and gestational age of the newborn are available, priority of assignment should be given to birth weight

Includes: the listed conditions, without further specification, as causes of morbidity or additional care, in newborn

P08.0 Exceptionally large newborn baby

Usually implies a birth weight of 4500 g. or more

Excludes1: syndrome of infant of diabetic mother (P70.1) syndrome of infant of mother with gestational diabetes (P70.0)

P08.1 Other heavy for gestational age newborn

Other newborn heavy- or large-for-dates regardless of period of gestation Usually implies a birth weight of 4000 g. to 4499 g.

Excludes1: newborn with a birth weight of 4500 or more (P08.0) syndrome of infant of diabetic mother (P70.1) syndrome of infant of mother with gestational diabetes (P70.0).

P08.2 Late newborn, not heavy for gestational age

P08.21 Post-term newborn

Newborn with gestation period over 40 completed weeks to 42 completed weeks

P08.22 Prolonged gestation of newborn

Newborn with gestation period over 42 completed weeks (294 days or more), not heavy- or large-fordates.

Postmaturity NOS

Abnormal findings on neonatal screening (P09)

P09 Abnormal findings on neonatal screening

Use additional code to identify signs, symptoms and conditions associated with the screening

Excludes2: nonspecific serologic evidence of human immunodeficiency virus [HIV] (R75)

Birth trauma (P10-P15)

P10 Intracranial laceration and hemorrhage due to birth injury

Excludes1: intracranial hemorrhage of newborn NOS (P52.9) intracranial hemorrhage of newborn due to anoxia or hypoxia (P52.-) nontraumatic intracranial hemorrhage of newborn (P52.-)

P10.0 Subdural hemorrhage due to birth injury

Subdural hematoma (localized) due to birth injury

Excludes1: subdural hemorrhage accompanying tentorial tear (P10.4)

P10.1 Cerebral hemorrhage due to birth injury

P10.2 Intraventricular hemorrhage due to birth injury

P10.3 Subarachnoid hemorrhage due to birth injury

P11.1 Other specified brain damage due to birth injury
P11.2 Unspecified brain damage due to birth injury
P11.3 Birth injury to facial nerve Facial palsy due to birth injury
P11.4 Birth injury to other cranial nerves
P11.5 Birth injury to spine and spinal cord Fracture of spine due to birth injury
P11.9 Birth injury to central nervous system, unspecified
P12 Birth injury to scalp
P12.0 Cephalhematoma due to birth injury
P12.1 Chignon (from vacuum extraction) due to birth injury
P12.2 Epicranial subaponeurotic hemorrhage due to birth injury Subgaleal hemorrhage
P12.3 Bruising of scalp due to birth injury
P12.4 Injury of scalp of newborn due to monitoring equipment Sampling incision of scalp of newborn Scalp clip (electrode) injury of newborn
P12.8 Other birth injuries to scalp
P12.81 Caput succedaneum
P12.89 Other birth injuries to scalp
P12.9 Birth injury to scalp, unspecified
P13 Birth injury to skeleton
Excludes2: birth injury to spine (P11.5)
P13.0 Fracture of skull due to birth injury
P13.1 Other birth injuries to skull
Excludes1: cephalhematoma (P12.0)
P13.2 Birth injury to femur
P13.3 Birth injury to other long bones
P13.4 Fracture of clavicle due to birth injury

P13.8 Birth injuries to other parts of skeleton

P10.4 Tentorial tear due to birth injury

P11 Other birth injuries to central nervous system

P11.0 Cerebral edema due to birth injury

P10.8 Other intracranial lacerations and hemorrhages due to birth injury

P10.9 Unspecified intracranial laceration and hemorrhage due to birth injury

P13.9 Birth injury to skeleton, unspecified

P14 Birth injury to peripheral nervous system

- P14.0 Erb's paralysis due to birth injury
- P14.1 Klumpke's paralysis due to birth injury
- P14.2 Phrenic nerve paralysis due to birth injury
- P14.3 Other brachial plexus birth injuries
- P14.8 Birth injuries to other parts of peripheral nervous system
- P14.9 Birth injury to peripheral nervous system, unspecified

P15 Other birth injuries

P15.0 Birth injury to liver

Rupture of liver due to birth injury

P15.1 Birth injury to spleen

Rupture of spleen due to birth injury

P15.2 Sternomastoid injury due to birth injury

P15.3 Birth injury to eye

Subconjunctival hemorrhage due to birth injury Traumatic glaucoma due to birth injury

P15.4 Birth injury to face

Facial congestion due to birth injury

- P15.5 Birth injury to external genitalia
- P15.6 Subcutaneous fat necrosis due to birth injury
- P15.8 Other specified birth injuries
- P15.9 Birth injury, unspecified

Respiratory and cardiovascular disorders specific to the perinatal period (P19-P29)

P19 Metabolic acidemia in newborn

Includes: metabolic acidemia in newborn

- P19.0 Metabolic acidemia in newborn first noted before onset of labor
- P19.1 Metabolic acidemia in newborn first noted during labor
- P19.2 Metabolic acidemia noted at birth
- P19.9 Metabolic acidemia, unspecified

P22 Respiratory distress of newborn

Excludes1: respiratory arrest of newborn (P28.81) respiratory failure of newborn NOS (P28.5)

P22.0 Respiratory distress syndrome of newborn

Cardiorespiratory distress syndrome of newborn Hyaline membrane disease Idiopathic respiratory distress syndrome [IRDS or RDS] of newborn Page 10 Pulmonary hypoperfusion syndrome Respiratory distress syndrome, type I

P22.1 Transient tachypnea of newborn

Idiopathic tachypnea of newborn Respiratory distress syndrome, type II Wet lung syndrome

P22.8 Other respiratory distress of newborn

P22.9 Respiratory distress of newborn, unspecified

P23 Congenital pneumonia

Includes: infective pneumonia acquired in utero or during birth

Excludes1: neonatal pneumonia resulting from aspiration (P24.-)

P23.0 Congenital pneumonia due to viral agent

Use additional code (B97) to identify organism

Excludes1: congenital rubella pneumonitis (P35.0)

- P23.1 Congenital pneumonia due to Chlamydia
- P23.2 Congenital pneumonia due to staphylococcus
- P23.3 Congenital pneumonia due to streptococcus, group B
- P23.4 Congenital pneumonia due to Escherichia coli
- P23.5 Congenital pneumonia due to Pseudomonas

P23.6 Congenital pneumonia due to other bacterial agents

Congenital pneumonia due to Hemophilus influenzae Congenital pneumonia due to Klebsiella pneumoniae Congenital pneumonia due to Mycoplasma Congenital pneumonia due to Streptococcus, except group B

Use additional code (B95-B96) to identify organism

P23.8 Congenital pneumonia due to other organisms

P23.9 Congenital pneumonia, unspecified

P24 Neonatal aspiration

Includes: aspiration in utero and during delivery

P24.0 Meconium aspiration

Excludes1: meconium passage (without aspiration) during delivery (P03.82)

meconium staining (P96.83)

P24.00 Meconium aspiration without respiratory symptoms

Meconium aspiration NOS

P24.01 Meconium aspiration with respiratory symptoms

Meconium aspiration pneumonia Meconium aspiration pneumonitis Meconium aspiration syndrome NOS

Use additional code to identify any secondary pulmonary hypertension, if applicable (I27.2-)

Page 11

P24.1 Neonatal aspiration of (clear) amniotic fluid and mucus

Neonatal aspiration of liquor (amnii)

P24.10 Neonatal aspiration of (clear) amniotic fluid and mucus without respiratory symptoms Neonatal aspiration of amniotic fluid and mucus NOS

P24.11 Neonatal aspiration of (clear) amniotic fluid and mucus with respiratory symptoms

Neonatal aspiration of amniotic fluid and mucus with pneumonia Neonatal aspiration of amniotic fluid and mucus with pneumonitis

Use additional code to identify any secondary pulmonary hypertension, if applicable (I27.2-)

P24.2 Neonatal aspiration of blood

P24.20 Neonatal aspiration of blood without respiratory symptoms

Neonatal aspiration of blood NOS

P24.21 Neonatal aspiration of blood with respiratory symptoms

Neonatal aspiration of blood with pneumonia Neonatal aspiration of blood with pneumonitis

Use additional code to identify any secondary pulmonary hypertension, if applicable (I27.2-)

P24.3 Neonatal aspiration of milk and regurgitated food

Neonatal aspiration of stomach contents

P24.30 Neonatal aspiration of milk and regurgitated food without respiratory symptoms

Neonatal aspiration of milk and regurgitated food NOS

P24.31 Neonatal aspiration of milk and regurgitated food with respiratory symptoms

Neonatal aspiration of milk and regurgitated food with pneumonia Neonatal aspiration of milk and regurgitated food with pneumonitis

Use additional code to identify any secondary pulmonary hypertension, if applicable (I27.2-)

P24.8 Other neonatal aspiration

P24.80 Other neonatal aspiration without respiratory symptoms

Neonatal aspiration NEC

P24.81 Other neonatal aspiration with respiratory symptoms

Neonatal aspiration pneumonia NEC

Neonatal aspiration with pneumonitis NEC

Neonatal aspiration with pneumonia NOS

Neonatal aspiration with pneumonitis NOS

Use additional code to identify any secondary pulmonary hypertension, if applicable (I27.2-)

P24.9 Neonatal aspiration, unspecified

P25 Interstitial emphysema and related conditions originating in the perinatal period

- P25.0 Interstitial emphysema originating in the perinatal period
- P25.1 Pneumothorax originating in the perinatal period
- P25.2 Pneumomediastinum originating in the perinatal period
- P25.3 Pneumopericardium originating in the perinatal period
- P25.8 Other conditions related to interstitial emphysema originating in the perinatal period

P26 Pulmonary hemorrhage originating in the perinatal period

Excludes1: acute idiopathic hemorrhage in infants over 28 days old (R04.81)

P26.0 Tracheobronchial hemorrhage originating in the perinatal period

P26.1 Massive pulmonary hemorrhage originating in the perinatal period

P26.8 Other pulmonary hemorrhages originating in the perinatal period

P26.9 Unspecified pulmonary hemorrhage originating in the perinatal period

P27 Chronic respiratory disease originating in the perinatal period

Excludes2: respiratory distress of newborn (P22.0-P22.9)

P27.0 Wilson-Mikity syndrome

Pulmonary dysmaturity

P27.1 Bronchopulmonary dysplasia originating in the perinatal period

P27.8 Other chronic respiratory diseases originating in the perinatal period

Congenital pulmonary fibrosis Ventilator lung in newborn

P27.9 Unspecified chronic respiratory disease originating in the perinatal period

P28 Other respiratory conditions originating in the perinatal period

Excludes1: congenital malformations of the respiratory system (Q30-Q34)

P28.0 Primary atelectasis of newborn

Primary failure to expand terminal respiratory units Pulmonary hypoplasia associated with short gestation Pulmonary immaturity NOS

P28.1 Other and unspecified atelectasis of newborn

P28.10 Unspecified atelectasis of newborn

Atelectasis of newborn NOS

P28.11 Resorption atelectasis without respiratory distress syndrome

Excludes1: resorption atelectasis with respiratory distress syndrome (P22.0)

P28.19 Other atelectasis of newborn

Partial atelectasis of newborn Secondary atelectasis of newborn

P28.2 Cyanotic attacks of newborn

Excludes1: apnea of newborn (P28.3-P28.4)

P28.3 Primary sleep apnea of newborn

Central sleep apnea of newborn Obstructive sleep apnea of newborn Sleep apnea of newborn NOS

P28.4 Other apnea of newborn

Apnea of prematurity
Obstructive apnea of newborn

Excludes1: obstructive sleep apnea of newborn (P28.3)

P28.5 Respiratory failure of newborn

Excludes1: respiratory arrest of newborn (P28.81) respiratory distress of newborn (P22.0-)

P28.8 Other specified respiratory conditions of newborn

P28.81 Respiratory arrest of newborn

P28.89 Other specified respiratory conditions of newborn

Congenital laryngeal stridor Sniffles in newborn Snuffles in newborn

Excludes1: early congenital syphilitic rhinitis (A50.05)

P28.9 Respiratory condition of newborn, unspecified

Respiratory depression in newborn

P29 Cardiovascular disorders originating in the perinatal period

Excludes1: congenital malformations of the circulatory system (Q20-Q28)

P29.0 Neonatal cardiac failure

P29.1 Neonatal cardiac dysrhythmia

P29.11 Neonatal tachycardia

P29.12 Neonatal bradycardia

P29.2 Neonatal hypertension

P29.3 Persistent fetal circulation

P29.30 Pulmonary hypertension of newborn

Persistent pulmonary hypertension of newborn

P29.38 Other persistent fetal circulation

Delayed closure of ductus arteriosus

P29.4 Transient myocardial ischemia in newborn

P29.8 Other cardiovascular disorders originating in the perinatal period

P29.81 Cardiac arrest of newborn

P29.89 Other cardiovascular disorders originating in the perinatal period

P29.9 Cardiovascular disorder originating in the perinatal period, unspecified

Infections specific to the perinatal period (P35-P39)

Infections acquired in utero, during birth via the umbilicus, or during the first 28 days after birth

Excludes2: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)

congenital gonococcal infection (A54.-)

congenital pneumonia (P23.-)

congenital syphilis (A50.-)

human immunodeficiency virus [HIV] disease (B20)

infant botulism (A48.51)

infectious diseases not specific to the perinatal period (A00-B99, J09, J10.-)

intestinal infectious disease (A00-A09)

laboratory evidence of human immunodeficiency virus [HIV] (R75)

tetanus neonatorum (A33)

P35 Congenital viral diseases

Includes: infections acquired in utero or during birth

P35.0 Congenital rubella syndrome

Congenital rubella pneumonitis

P35.1 Congenital cytomegalovirus infection

P35.2 Congenital herpesviral [herpes simplex] infection

P35.3 Congenital viral hepatitis

P35.8 Other congenital viral diseases

Congenital varicella [chickenpox]

P35.9 Congenital viral disease, unspecified

P36 Bacterial sepsis of newborn

Includes: congenital sepsis

Use additional code(s), if applicable, to identify severe sepsis (R65.2-) and associated acute organ dysfunction(s)

P36.0 Sepsis of newborn due to streptococcus, group B

P36.1 Sepsis of newborn due to other and unspecified streptococci

P36.10 Sepsis of newborn due to unspecified streptococci

P36.19 Sepsis of newborn due to other streptococci

P36.2 Sepsis of newborn due to Staphylococcus aureus

P36.3 Sepsis of newborn due to other and unspecified staphylococci

P36.30 Sepsis of newborn due to unspecified staphylococci

P36.39 Sepsis of newborn due to other staphylococci

P36.4 Sepsis of newborn due to Escherichia coli

P36.5 Sepsis of newborn due to anaerobes

P36.8 Other bacterial sepsis of newborn

Use additional code from category B96 to identify organism

P36.9 Bacterial sepsis of newborn, unspecified

P37 Other congenital infectious and parasitic diseases

Excludes2: congenital syphilis (A50.-)

infectious neonatal diarrhea (A00-A09) necrotizing enterocolitis in newborn (P77.-) noninfectious neonatal diarrhea (P78.3)

ophthalmia neonatorum due to gonococcus (A54.31)

tetanus neonatorum (A33)

P37.0 Congenital tuberculosis

P37.1 Congenital toxoplasmosis

Hydrocephalus due to congenital toxoplasmosis

P37.2 Neonatal (disseminated) listeriosis

P37.3 Congenital falciparum malaria

P37.4 Other congenital malaria

P37.5 Neonatal candidiasis

P37.8 Other specified congenital infectious and parasitic diseases

P37.9 Congenital infectious or parasitic disease, unspecified

P38 Omphalitis of newborn

Excludes1: omphalitis not of newborn (L08.82) tetanus omphalitis (A33) umbilical hemorrhage of newborn (P51.-)

P38.1 Omphalitis with mild hemorrhage

P38.9 Omphalitis without hemorrhage

Omphalitis of newborn NOS

P39 Other infections specific to the perinatal period

Use additional code to identify organism or specific infection

P39.0 Neonatal infective mastitis

Excludes1: breast engorgement of newborn (P83.4) noninfective mastitis of newborn (P83.4)

P39.1 Neonatal conjunctivitis and dacryocystitis

Neonatal chlamydial conjunctivitis Ophthalmia neonatorum NOS

Excludes1: gonococcal conjunctivitis (A54.31)

P39.2 Intra-amniotic infection affecting newborn, not elsewhere classified

P39.3 Neonatal urinary tract infection

P39.4 Neonatal skin infection

Neonatal pyoderma

Excludes1: pemphigus neonatorum (L00)

staphylococcal scalded skin syndrome (L00)

P39.8 Other specified infections specific to the perinatal period

P39.9 Infection specific to the perinatal period, unspecified

Hemorrhagic and hematological disorders of newborn (P50-P61)

Excludes1: congenital stenosis and stricture of bile ducts (Q44.3)

Crigler-Najjar syndrome (E80.5) Dubin-Johnson syndrome (E80.6)

Dubin-Johnson Syndrome (E60.6

Gilbert syndrome (E80.4)

hereditary hemolytic anemias (D55-D58)

P50 Newborn affected by intrauterine (fetal) blood loss

Excludes1: congenital anemia from intrauterine (fetal) blood loss (P61.3)

P50.0 Newborn affected by intrauterine (fetal) blood loss from vasa previa	
P50.1 Newborn affected by intrauterine (fetal) blood loss from ruptured cord	
P50.2 Newborn affected by intrauterine (fetal) blood loss from placenta	
P50.3 Newborn affected by hemorrhage into co-twin	
P50.4 Newborn affected by hemorrhage into maternal circulation	
P50.5 Newborn affected by intrauterine (fetal) blood loss from cut end of co-twin's cord	
P50.8 Newborn affected by other intrauterine (fetal) blood loss	
P50.9 Newborn affected by intrauterine (fetal) blood loss, unspecified Newborn affected by fetal hemorrhage NOS	
P51 Umbilical hemorrhage of newborn	
Excludes1: omphalitis with mild hemorrhage (P38.1) umbilical hemorrhage from cut end of co-twins cord (P50.5)	
P51.0 Massive umbilical hemorrhage of newborn	
P51.8 Other umbilical hemorrhages of newborn Slipped umbilical ligature NOS	
PEA O Harbilland have such a second and a second a second and a second a second and	
P51.9 Umbilical hemorrhage of newborn, unspecified	
P51.9 Umbilical nemorrnage of newborn, unspecified P52 Intracranial nontraumatic hemorrhage of newborn	
P52 Intracranial nontraumatic hemorrhage of newborn	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	
P52 Intracranial nontraumatic hemorrhage of newborn Includes: intracranial hemorrhage due to anoxia or hypoxia Excludes1: intracranial hemorrhage due to birth injury (P10)	

P52.6 Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn

P52.8 Other intracranial (nontraumatic) hemorrhages of newborn

P53 Hemorrhagic disease of newborn

Vitamin K deficiency of newborn

P54 Other neonatal hemorrhages

Excludes1: newborn affected by (intrauterine) blood loss (P50.-) pulmonary hemorrhage originating in the perinatal period (P26.-)

P54.0 Neonatal hematemesis

Excludes1: neonatal hematemesis due to swallowed maternal blood (P78.2)

P54.1 Neonatal melena

Excludes1: neonatal melena due to swallowed maternal blood (P78.2)

P54.2 Neonatal rectal hemorrhage

P54.3 Other neonatal gastrointestinal hemorrhage

P54.4 Neonatal adrenal hemorrhage

P54.5 Neonatal cutaneous hemorrhage

Neonatal bruising Neonatal ecchymoses Neonatal petechiae Neonatal superficial hematomata

Excludes2: bruising of scalp due to birth injury (P12.3) cephalhematoma due to birth injury (P12.0)

P54.6 Neonatal vaginal hemorrhage

Neonatal pseudomenses

P54.8 Other specified neonatal hemorrhages

P54.9 Neonatal hemorrhage, unspecified

P55 Hemolytic disease of newborn

P55.0 Rh isoimmunization of newborn

P55.1 ABO isoimmunization of newborn

P55.8 Other hemolytic diseases of newborn

P55.9 Hemolytic disease of newborn, unspecified

P56 Hydrops fetalis due to hemolytic disease

Excludes1: hydrops fetalis NOS (P83.2)

P56.0 Hydrops fetalis due to isoimmunization

P56.9 Hydrops fetalis due to other and unspecified hemolytic disease

P56.90 Hydrops fetalis due to unspecified hemolytic disease

P56.99 Hydrops fetalis due to other hemolytic disease

P57 Kernicterus

P57.0 Kernicterus due to isoimmunization

P57.8 Other specified kernicterus

Excludes1: Crigler-Najjar syndrome (E80.5)

P57.9 Kernicterus, unspecified

P58 Neonatal jaundice due to other excessive hemolysis

Excludes1: jaundice due to isoimmunization (P55-P57)

P58.0 Neonatal jaundice due to bruising

P58.1 Neonatal jaundice due to bleeding

P58.2 Neonatal jaundice due to infection

P58.3 Neonatal jaundice due to polycythemia

P58.4 Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn

Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6)

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

P58.41 Neonatal jaundice due to drugs or toxins transmitted from mother

P58.42 Neonatal jaundice due to drugs or toxins given to newborn

P58.5 Neonatal jaundice due to swallowed maternal blood

P58.8 Neonatal jaundice due to other specified excessive hemolysis

P58.9 Neonatal jaundice due to excessive hemolysis, unspecified

P59 Neonatal jaundice from other and unspecified causes

Excludes1: jaundice due to inborn errors of metabolism (E70-E88) kernicterus (P57.-)

P59.0 Neonatal jaundice associated with preterm delivery

Hyperbilirubinemia of prematurity

Jaundice due to delayed conjugation associated with preterm delivery

P59.1 Inspissated bile syndrome

P59.2 Neonatal jaundice from other and unspecified hepatocellular damage

Excludes1: congenital viral hepatitis (P35.3)

P59.20 Neonatal jaundice from unspecified hepatocellular damage

P59.29 Neonatal jaundice from other hepatocellular damage

Neonatal giant cell hepatitis Neonatal (idiopathic) hepatitis

P59.3 Neonatal jaundice from breast milk inhibitor

P59.8 Neonatal jaundice from other specified causes

P59.9 Neonatal jaundice, unspecified

Neonatal physiological jaundice (intense)(prolonged) NOS

P60 Disseminated intravascular coagulation of newborn

Defibrination syndrome of newborn

P61 Other perinatal hematological disorders

Excludes1: transient hypogammaglobulinemia of infancy (D80.7)

P61.0 Transient neonatal thrombocytopenia

Neonatal thrombocytopenia due to exchange transfusion Neonatal thrombocytopenia due to idiopathic maternal thrombocytopenia Neonatal thrombocytopenia due to isoimmunization

P61.1 Polycythemia neonatorum

- P61.2 Anemia of prematurity
- P61.3 Congenital anemia from fetal blood loss

P61.4 Other congenital anemias, not elsewhere classified Congenital anemia NOS

P61.5 Transient neonatal neutropenia

Excludes1: congenital neutropenia (nontransient) (D70.0)

- P61.6 Other transient neonatal disorders of coagulation
- P61.8 Other specified perinatal hematological disorders
- P61.9 Perinatal hematological disorder, unspecified

Transitory endocrine and metabolic disorders specific to newborn (P70-P74)

Includes: transitory endocrine and metabolic disturbances caused by the infant's response to maternal endocrine and metabolic factors, or its adjustment to extrauterine environment

P70 Transitory disorders of carbohydrate metabolism specific to newborn

P70.0 Syndrome of infant of mother with gestational diabetes

Newborn (with hypoglycemia) affected by maternal gestational diabetes

Excludes1: newborn (with hypoglycemia) affected by maternal (pre-existing) diabetes mellitus (P70.1) syndrome of infant of a diabetic mother (P70.1)

P70.1 Syndrome of infant of a diabetic mother

Newborn (with hypoglycemia) affected by maternal (pre-existing) diabetes mellitus

Excludes1: newborn (with hypoglycemia) affected by maternal gestational diabetes (P70.0) syndrome of infant of mother with gestational diabetes (P70.0)

- P70.2 Neonatal diabetes mellitus
- P70.3 latrogenic neonatal hypoglycemia

P70.4 Other neonatal hypoglycemia

Transitory neonatal hypoglycemia

- P70.8 Other transitory disorders of carbohydrate metabolism of newborn
- P70.9 Transitory disorder of carbohydrate metabolism of newborn, unspecified

P71 Transitory neonatal disorders of calcium and magnesium metabolism

- P71.0 Cow's milk hypocalcemia in newborn
- P71.1 Other neonatal hypocalcemia

	Neonatal tetany NOS
	P71.4 Transitory neonatal hypoparathyroidism
	P71.8 Other transitory neonatal disorders of calcium and magnesium metabolism
	P71.9 Transitory neonatal disorder of calcium and magnesium metabolism, unspecified
P72	Other transitory neonatal endocrine disorders
	Excludes1: congenital hypothyroidism with or without goiter (E03.0-E03.1) dyshormogenetic goiter (E07.1) Pendred's syndrome (E07.1)
	P72.0 Neonatal goiter, not elsewhere classified Transitory congenital goiter with normal functioning
	P72.1 Transitory neonatal hyperthyroidism Neonatal thyrotoxicosis
	P72.2 Other transitory neonatal disorders of thyroid function, not elsewhere classified Transitory neonatal hypothyroidism
	P72.8 Other specified transitory neonatal endocrine disorders
	P72.9 Transitory neonatal endocrine disorder, unspecified
P74	Other transitory neonatal electrolyte and metabolic disturbances
	P74.0 Late metabolic acidosis of newborn
	Excludes1: (fetal) metabolic acidosis of newborn (P19)
	P74.1 Dehydration of newborn
	P74.2 Disturbances of sodium balance of newborn
	P74.3 Disturbances of potassium balance of newborn
	P74.4 Other transitory electrolyte disturbances of newborn
	P74.5 Transitory tyrosinemia of newborn
	P74.6 Transitory hyperammonemia of newborn
	P74.8 Other transitory metabolic disturbances of newborn Amino-acid metabolic disorders described as transitory

Excludes1: neonatal hypoparathyroidism (P71.4)

P71.3 Neonatal tetany without calcium or magnesium deficiency

P71.2 Neonatal hypomagnesemia

Digestive system disorders of newborn (P76-P78)

P76 Other intestinal obstruction of newborn

P76.0 Meconium plug syndrome

Meconium ileus NOS

Excludes1: meconium ileus in cystic fibrosis (E84.11)

P74.9 Transitory metabolic disturbance of newborn, unspecified

P76.1 Transitory ileus of newborn

Excludes1: Hirschsprung's disease (Q43.1)

P76.2 Intestinal obstruction due to inspissated milk

P76.8 Other specified intestinal obstruction of newborn

Excludes1: intestinal obstruction classifiable to K56.-

P76.9 Intestinal obstruction of newborn, unspecified

P77 Necrotizing enterocolitis of newborn

P77.1 Stage 1 necrotizing enterocolitis in newborn

Necrotizing enterocolitis without pneumatosis, without perforation

P77.2 Stage 2 necrotizing enterocolitis in newborn

Necrotizing enterocolitis with pneumatosis, without perforation

P77.3 Stage 3 necrotizing enterocolitis in newborn

Necrotizing enterocolitis with perforation Necrotizing enterocolitis with pneumatosis and perforation

P77.9 Necrotizing enterocolitis in newborn, unspecified

Necrotizing enterocolitis in newborn, NOS

P78 Other perinatal digestive system disorders

Excludes1: cystic fibrosis (E84.0-E84.9)

neonatal gastrointestinal hemorrhages (P54.0-P54.3)

P78.0 Perinatal intestinal perforation

Meconium peritonitis

P78.1 Other neonatal peritonitis

Neonatal peritonitis NOS

P78.2 Neonatal hematemesis and melena due to swallowed maternal blood

P78.3 Noninfective neonatal diarrhea

Neonatal diarrhea NOS

P78.8 Other specified perinatal digestive system disorders

P78.81 Congenital cirrhosis (of liver)

P78.82 Peptic ulcer of newborn

P78.83 Newborn esophageal reflux

Neonatal esophageal reflux

P78.84 Gestational alloimmune liver disease

GALD

Neonatal hemochromatosis

Excludes 1: hemochromatosis (E83.11-)

P78.89 Other specified perinatal digestive system disorders

P78.9 Perinatal digestive system disorder, unspecified

Conditions involving the integument and temperature regulation of newborn (P80-P83)

P80 Hypothermia of newborn

P80.0 Cold injury syndrome

Severe and usually chronic hypothermia associated with a pink flushed appearance, edema and neurological and biochemical abnormalities.

Excludes1: mild hypothermia of newborn (P80.8)

P80.8 Other hypothermia of newborn

Mild hypothermia of newborn

P80.9 Hypothermia of newborn, unspecified

P81 Other disturbances of temperature regulation of newborn

- P81.0 Environmental hyperthermia of newborn
- P81.8 Other specified disturbances of temperature regulation of newborn

P81.9 Disturbance of temperature regulation of newborn, unspecified

Fever of newborn NOS

P83 Other conditions of integument specific to newborn

Excludes1: congenital malformations of skin and integument (Q80-Q84)

hydrops fetalis due to hemolytic disease (P56.-)

neonatal skin infection (P39.4)

staphylococcal scalded skin syndrome (L00)

Excludes2: cradle cap (L21.0)

diaper [napkin] dermatitis (L22)

- P83.0 Sclerema neonatorum
- P83.1 Neonatal erythema toxicum

P83.2 Hydrops fetalis not due to hemolytic disease

Hydrops fetalis NOS

P83.3 Other and unspecified edema specific to newborn

P83.30 Unspecified edema specific to newborn

P83.39 Other edema specific to newborn

P83.4 Breast engorgement of newborn

Noninfective mastitis of newborn

- P83.5 Congenital hydrocele
- P83.6 Umbilical polyp of newborn

P83.8 Other specified conditions of integument specific to newborn

P83.81 Umbilical granuloma

Excludes2: : Granulomatous disorder of the skin and subcutaneous tissue, unspecified (L92.9)

P83.88 Other specified conditions of integument specific to newborn

Bronze baby syndrome Neonatal scleroderma Urticaria neonatorum

Other problems with newborn (P84)

P84 Other problems with newborn

Acidemia of newborn

Acidosis of newborn

Anoxia of newborn NOS

Asphyxia of newborn NOS

Hypercapnia of newborn

Hypoxemia of newborn

Hypoxia of newborn NOS

Mixed metabolic and respiratory acidosis of newborn

Excludes1: intracranial hemorrhage due to anoxia or hypoxia (P52.-)

hypoxic ischemic encephalopathy [HIE] (P91.6-) late metabolic acidosis of newborn (P74.0)

Other disorders originating in the perinatal period (P90-P96)

P90 Convulsions of newborn

Excludes1: benign myoclonic epilepsy in infancy (G40.3-) benign neonatal convulsions (familial) (G40.3-)

P91 Other disturbances of cerebral status of newborn

P91.0 Neonatal cerebral ischemia

P91.1 Acquired periventricular cysts of newborn

P91.2 Neonatal cerebral leukomalacia

Periventricular leukomalacia

P91.3 Neonatal cerebral irritability

P91.4 Neonatal cerebral depression

P91.5 Neonatal coma

P91.6 Hypoxic ischemic encephalopathy [HIE]

Excludes1: Neonatal cerebral depression (P91.4)

Neonatal cerebral irritability (P91.3)

Neonatal coma (P91.5)

P91.60 Hypoxic ischemic encephalopathy [HIE], unspecified

P91.61 Mild hypoxic ischemic encephalopathy [HIE]

P91.62 Moderate hypoxic ischemic encephalopathy [HIE]

P91.63 Severe hypoxic ischemic encephalopathy [HIE]

P91.8 Other specified disturbances of cerebral status of newborn

P91.81 Neonatal encephalopathy

P91.811 Neonatal encephalopathy in diseases classified elsewhere

Code first underlying condition, if known, such as:
congenital cirrhosis (of liver) (P78.71)
intracranial nontraumatic hemorrhage of newborn (P52.-)
kernicterus (P57.-)

P91.819 Neonatal encephalopathy, unspecified

P91.88 Other specified disturbances of cerebral status of newborn

P91.9 Disturbance of cerebral status of newborn, unspecified

P92 Feeding problems of newborn

Excludes1: eating disorders (F50.-)

feeding problems in child over 28 days old (R63.3)

P92.0 Vomiting of newborn

Excludes1: vomiting of child over 28 days old (R11.-)

P92.01 Bilious vomiting of newborn

Excludes1: bilious vomiting in child over 28 days old (R11.14)

P92.09 Other vomiting of newborn

Excludes1: regurgitation of food in newborn (P92.1)

P92.1 Regurgitation and rumination of newborn

P92.2 Slow feeding of newborn

P92.3 Underfeeding of newborn

P92.4 Overfeeding of newborn

P92.5 Neonatal difficulty in feeding at breast

P92.6 Failure to thrive in newborn

Excludes1: failure to thrive in child over 28 days old (R62.51)

P92.8 Other feeding problems of newborn

P92.9 Feeding problem of newborn, unspecified

P93 Reactions and intoxications due to drugs administered to newborn

Includes: reactions and intoxications due to drugs administered to fetus affecting newborn

Excludes1: jaundice due to drugs or toxins transmitted from mother or given to newborn (P58.4-)

reactions and intoxications from maternal opiates, tranquilizers and other medication (P04.0-P04.1,

P04.4)

withdrawal symptoms from maternal use of drugs of addiction (P96.1) withdrawal symptoms from therapeutic use of drugs in newborn (P96.2)

P93.0 Grey baby syndrome

Grey syndrome from chloramphenicol administration in newborn

P93.8 Other reactions and intoxications due to drugs administered to newborn

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

P94 Disorders of muscle tone of newborn

P94.0 Transient neonatal myasthenia gravis

Excludes1: myasthenia gravis (G70.0)

P94.1 Congenital hypertonia

P94.2 Congenital hypotonia

Floppy baby syndrome, unspecified

P94.8 Other disorders of muscle tone of newborn

P94.9 Disorder of muscle tone of newborn, unspecified

P95 Stillbirth

Deadborn fetus NOS Fetal death of unspecified cause Stillbirth NOS

Excludes1: maternal care for intrauterine death (O36.4)

missed abortion (O02.1)

outcome of delivery, stillbirth (Z37.1, Z37.3, Z37.4, Z37.7)

P96 Other conditions originating in the perinatal period

P96.0 Congenital renal failure

Uremia of newborn

P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction

Drug withdrawal syndrome in infant of dependent mother Neonatal abstinence syndrome

Excludes1: reactions and intoxications from maternal opiates and tranquilizers administered during labor and delivery (P04.0)

P96.2 Withdrawal symptoms from therapeutic use of drugs in newborn

P96.3 Wide cranial sutures of newborn

Neonatal craniotabes

P96.5 Complication to newborn due to (fetal) intrauterine procedure

Excludes2: newborn affected by amniocentesis (P00.6)

P96.8 Other specified conditions originating in the perinatal period

P96.81 Exposure to (parental) (environmental) tobacco smoke in the perinatal period

Excludes2: newborn affected by in utero exposure to tobacco (P04.2) exposure to environmental tobacco smoke after the perinatal period (Z77.22)

P96.82 Delayed separation of umbilical cord

P96.83 Meconium staining

Excludes1: meconium aspiration (P24.00, P24.01) meconium passage during delivery (P03.82)

P96.89 Other specified conditions originating in the perinatal period

Use additional code to specify condition

P96.9 Condition originating in the perinatal period, unspecified

Congenital debility NOS